4/3,AB/1 (Item 1 from file: 351)
DIALOG(R)File 351:Derwent WPI
(c) 2002 Derwent Info Ltd. All rts. reserv.

012051071

WPI Acc No: 1998-467981/199840

XRPX Acc No: N98-364683

Handover method in mobile communication system - by determining at least one handover criterion depending on error correction of radio connection for connection

Patent Assignee: NOKIA TELECOM OY (OYNO ); NOKIA NETWORKS OY (OYNO ) Inventor: AALTO R; KANERVA M; RASANEN J; VAINIKKA J; RAESAENEN J

Number of Countries: 083 Number of Patents: 008

Patent Family:

Facenc	ramily.							
Patent	No Kir	nd D	Date App	plicat No	Kind	Date	Week	
WO 9837	719 A	1 199	80827 WO	98FI123	Α	19980211	199840	В
FI 9700	683 A	199	80819 FI	97683	Α	19970218	199847	
ZA 9801	.149 A	199	81028 ZA	981149	Α	19980212	199848	
AU 9859	903 A	199	80909 AU	9859903	A	19980211	199905	
EP 9621	.12 A:	1 199	91208 EP	98903043	A	19980211	200002	
			WO	98FI123	Α	19980211		
FI 1046	82 B:	1 200	00414 FI	97683	Α	19970218	200025	
CN 1247	681 A	200	00315 CN	98802466	A	19980211	200031	
JP 2001	511988 W	200	)10814 JP	98536295	Α	19980211	200154	
			WO	98FI123	Α	19980211		

Priority Applications (No Type Date): FI 97683 A 19970218 Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

WO 9837719 A1 E 26 H04Q-007/38

Designated States (National): AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GE GH GM GW HU ID IL IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG US UZ VN YU ZW

Designated States (Regional): AT BE CH DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SZ UG ZW

ZA 9801149 A 26 H04M-000/00

AU 9859903 A Based on patent WO 9837719

EP 962112 A1 E Based on patent WO 9837719

Designated States (Regional): AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE

FI 104682 B1 H04Q-007/38 Previous Publ. patent FI 9700683

CN 1247681 A H04Q-007/38

JP 2001511988 W 28 H04O-007/22 Based on patent WO 9837719

## Abstract (Basic): WO 9837719 A

The handover method involves measuring the signal level and/or quality of base stations (BTS) in a mobile station (MS). The signal quality and level of the mobile station is measured at the base station. The measurement results thus obtained and other variables of the connection are compared with handover criteria. A handover from a source cell to a target cell is performed when the handover criteria are met, by determining at least one handover criterion depending on the error correction of a radio connection for the connection.

At least one error correction possible for the connection in a potential target cell of the handover is determined. The handover criterion is set on the basis of the error correction of a source cell

base station (BTS1) and the error correction of a determined potential target cell base station (BTS2). The error correction of a transferred connection is set as the error correction of the target cell base station in the target cell.

ADVANTAGE - Allows flexible handover depending on error correction. Avoids unnecessary handovers. Allows optimal handover even if mobile stations error correction is worse than normal. Allows quality to remain good during handover. Reduces probability of call being lost on radio connection implemented with weaker error correction than normal.

Dwg.2/5

4/3,AB/2 (Item 1 from file: 345)
DIALOG(R)File 345:Inpadoc/Fam.& Legal Stat
(c) 2002 EPO. All rts. reserv.

## 13596752

Basic Patent (No, Kind, Date): FI 9700683 A0 19970218 <No. of Patents: 009> KANAVANVAIHTO MATKAVIESTINJAERJESTELMAESSAE HANDOVER I ETT MOBILKOMMUNIKATIONSSYSTEM (Swedish)

Patent Assignee: NOKIA TELECOMMUNICATIONS OY (FI)

Author (Inventor): KANERVA MIKKO (FI); VAINIKKA JARI (FI); RAESAENEN JUHA (FI); AALTO RISTO (FI)

IPC: \*H04Q;

Language of Document: Finnish; Swedish

Patent Family:

Patent No	Kind	Date	Applio	o No	Kind	Date		
AU 985990	)3 A1	19980909	AU	98599	03	Α	19980211	
CN 124768	31 T	20000315	CN	98802	466	Α	19980211	
EP 962112	2 A1	19991208	EP	98903	043	Α	19980211	
FI 970068	33 A	19980819	FI	97683		Α	19970218	
FI 970068	33 A0	19970218	FI	97683		Α	19970218	(BASIC)
FI 104682	2 B1	20000414	FI	97683		Α	19970218	
JP 20015	L1988 T2	20010814	JP	98536	295	Α	19980211	
WO 98377	L9 A1	19980827	WO	98FI1	23	Α	19980211	
ZA 980114	19 A	19980820	ZA	98114	9	Α	19980212	

Priority Data (No, Kind, Date):

FI 97683 A 19970218 WO 98FI123 W 19980211